

**DISTRICT COURT - CSRBA**  
**Fifth Judicial District**  
**County of Twin Falls - State of Idaho**

**NOV 08 2019**

By \_\_\_\_\_ Clerk  
\_\_\_\_\_ Deputy Clerk

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE  
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re CSRBA	)	PARTIAL DECREE PURSUANT TO
	)	I.R.C.P. 54(b) FOR
Case No. 49576	)	
_____	)	Water Right 95-16602

NAME AND ADDRESS:      HOWARD FUNKE  
2029 S SILVER BEACH RD  
COEUR D ALENE, ID 83814

SOURCE:                      GROUND WATER

QUANTITY:                    0.04 CFS

The quantity of water under this right shall not exceed 13,000  
gallons per day.

PRIORITY DATE:            12/31/1930

POINT OF DIVERSION:      T50N R03W S29 LOT 1    (NENW ) Within Kootenai County

PURPOSE AND		PERIOD OF USE	QUANTITY
PERIOD OF USE:	PURPOSE OF USE	01-01 TO 12-31	0.04 CFS
	Domestic		

Domestic use is for 1 home.

PLACE OF USE:	Domestic	Within Kootenai County
	T50N R03W S29 LOT 1    (NENW)	

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

The quantity of water decreed for this water right is not a  
determination of historical beneficial use.  
THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS  
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT  
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY  
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE  
ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.

\_\_\_\_\_  
Eric J. Wildman  
Presiding Judge of the  
Coeur d'Alene-Spokane River Adjudication