

DISTRICT COURT - CSRBA
Fifth Judicial District
County of Twin Falls - State of Idaho

NOV 08 2019

By _____ Clerk
 _____ Deputy Clerk

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
 STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re CSRBA)
) PARTIAL DECREE PURSUANT TO
) I.R.C.P. 54(b) FOR
 Case No. 49576)
 _____) Water Right 95-16834

NAME AND ADDRESS: SUSAN BAKER FAMILY TRUST
 8516 N SUMMERFIELD LOOP
 HAYDEN, ID 83835-8240

SOURCE: NILSEN CREEK TRIBUTARY: HAYDEN LAKE

QUANTITY: 0.02 CFS
 The quantity of water under this right shall not exceed 13,000 gallons per day.

PRIORITY DATE: 07/15/1910

POINT OF DIVERSION: T51N R03W S01 NESE (Instream Beginning Point) Within Kootenai County
 NWSE (Instream Ending Point)

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	Stockwater	01-01 TO 12-31	0.02 CFS

Stockwater use is for the in-stream watering of livestock.


PLACE OF USE: Stockwater Within Kootenai County
 T51N R03W S01 NESE NWSE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

The quantity of water decreed for this water right is not a determination of historical beneficial use.
 THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.



 Eric J. Wildman
 Presiding Judge of the
 Coeur d'Alene-Spokane River Adjudication