

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA	Subcase <u>[05-24319]</u> (Insert water right number) Orthogonal
Case No. 39576	(Insert water right number) File 1109
	MOTION FOR DETERMINATION OF
	DEFERRED DE MINIMIS DOMESTIC OR
	STOCK WATER USE
)
)
)
Diagra fill in the following	intormation:
_	OF WATER RIGHT CLAIMANT.
_	OF WATER RIGHT CLAIMANT.
NAME AND ADDRESS	
NAME AND ADDRESS Name:	OF WATER RIGHT CLAIMANT. Wes Blaser
NAME AND ADDRESS Name: Address:	OF WATER RIGHT CLAIMANT. Wes Blaser P.O. Box 191 334
NAME AND ADDRESS Name: Address:	OF WATER RIGHT CLAIMANT. Wes Blaser P.O. Box 191334 Boise 1D 83719
Name:Address:	OF WATER RIGHT CLAIMANT. Wes Blaser P. O. Box 191334 Boise 1D 83719 208-849-4944
NAME AND ADDRESS Name: Address:	OF WATER RIGHT CLAIMANT. Wes Blaser P. O. Box 191334 Boise 1D 83719 208-849-4944

I HAVE ATTACHED:

- Ø A fully completed Notice of Claim (available from IDWR).
- A claim filing fee for a domestic and stock water use pursuant to I.C. § 42-1414. I have **W** enclosed a check payable to: State of Idaho Department of Water Resources in the amount required by the statute.

I HAVE READ AND REVIEWED THE FOLLOWING:

- V The procedures governing the filing and prosecution of this Motion as set forth in the Court's Order Governing Procedures in the SRBA for Adjudication of Deferred De Minimis Domestic and Stock Water Claims, entered in SRBA Case No. 39576 on June 28, 2012, and the Order Amending Procedure in the SRBA for Adjudication of Deferred De Minimis Stockwater Claims, entered October 17, 2017.
- 本 The Order Granting State of Idaho's Motion for Interim Order Implementing the Order Governing Procedures of Adjudication of Deferred De Minimis Domestic and Stock Water Claims, entered in SRBA Case No. 39576 on December 18, 2013.

INSTRUCTIONS REGARDING THE HEARING ON THIS MOTION: A hearing on your Motion will be scheduled by the Court after the filing of the Affidavit of Publication as required under paragraph B.1. of the Order Governing Procedures in the SRBA for Adjudication of Deferred De Minimis Domestic and Stock Water Claims, entered in SRBA Case No. 39576 on June 28, 2012, and the Order Amending Procedure in the SRBA for Adjudication of Deferred De Minimis Stockwater Claims, entered October 17, 2017.

Signed: WABBlun

CERTIFICATE OF MAILING

this form, including all attachments, via certified mail and addressed as follows to the following persons:

1. Original to:

Clerk of the District Court Snake River Basin Adjudication 253 Third Ave. North P.O. Box 2707 Twin Falls, ID 83303-2707

2. Copies to:

Director of IDWR PO Box 83720 Boise, ID 83720-0098

United States Department of Justice Environment & Nat'l Resources Div. 550 W Fort Street, MSC 033 Boise, ID 83724

Chief, Natural Resources Division Office of Attorney General State of Idaho PO Box 83720 Boise, ID 83720-0010

3. Certified Mail Copies to:

U.S. Attorney's Office 1290 W Myrtle St, Ste 500 Boise, ID 83702

U.S. Department of Justice 950 Pennsylvania Avenue, NW Washington, DC 20530-0001

Signature of person or attorney mailing the form

-

15

11/97	IDAHO DE	PARTMENT OF WAT	ER RE	ESOL	JRCE:	S		Offic	e Use Only			٦
4	ELL DRILLER'S F	REPORT					Inspected by					
WELLTAND D 06 /			•	• • •					Rge			
1. WELL TAG NO. D OG/		· · · · · · · · · · · · · · · · · · ·							1/4			
DRILLING PERMIT NO	<u>-</u>		11. WELL TESTS:			STS:	Lat:	- <u>-</u> -		:	•	
Other IDWR No				□ F	ump	□ Bailer `	D≊Ai	r 🖂	Flowing			٢
2. OWNER:				/ield ga	l./min.	Drawdown			ıg Level	T		1
NameWes	Blases			3				356			2 1/2	
Address 1106 3 Sene	ca De								·	1	* 33 P	_
City Colone		nte Tel Zip 83709			******						-	-
			Water	Tomo		49				<u> </u>		_
3. LOCATION OF WELL	by legal descr	intion:							Bottom r	nole temp	• ===	
Sketch map location must agree			vale:	Quant	y test of	comments: _	20	000				
N	with written locatio	11.	12	ITH	al oci	C I OG: (De		Dep	th first Wate	r Encoun	ter <u>/ </u>	20
				-1111	JEUGI	C LOG: (De	scribe	repairs	or aband	onment) _W a	ate
Twp/,	2 North Ø	or South 🗆	Bore Dia.	From	To	Remarks: Litho	logy, V	Vater Qua	ity & Tem	perature	Y	T.
Rge.	East 🗵	or West □	10	0	4	Tap Soi			<u> </u>		+-	7
Sec. /	70 . 1/	4 5 W 1/4 5 = 1/4	10	4	7	Ok Brew				-	+-	K
Gov't Lot	County V	4 5 W 1/4 5 = 1/4 a //e y 160 acres	10	7	15	IT Brown	den	55	17.		+-	Ł
Lat:	: Lor		76	75	19	9 - 0 7 9 - 0					+	弋
S Address	of Well Site 70	choLOT OF.	6	19		Grey gra		<u> </u>	<u> </u>		+	╁
	Cib	Cascade	6	20		graybran			<u> </u>			ť
(Give at least name of road + Distance to R	load or Landmark)	<u></u>	E	45						· > /~	╀─	K
.t. 5 Bik.	Sub. Name_Po	and Vallax	2	16	75	5-47 9-15	-			1	+	长
		mes Terels	7			grantrom					*^-	$\frac{1}{2}$
. USE:		7,74,67				gray gran	Hare	<u> </u>	<u> </u>	<u>e 15</u>	\vdash	Ł
Domestic □ Municipa	al Monitor	□ Irrigation									+-	₭
Domestic □ Municipal □ Monitor □ Irrigation □ Thermal □ Injection □ Other TYPE OF WORK check all that apply (Replacement etc.) New Well □ Modify □ Abandonment □ Other						frac gran	-9-	anile	7 2	ю.,	+-	长
. TYPE OF WORK check			7	10	160	gray lines	10. 1	18011	Orone.	7-6	_	ť
Piew Well □ Modify □	ali ulat apply	Other		160	2/0	gray lieral in	5	241 -	2.0			F
DRILL METHOD		U Oliver	16	7/0	220	91000	F-44.0 /		3-3-4	× ××××		Ţ
☑ Air Rotary ☐ Cable	☐ Mud Rotery	□ Other_		72.	284	gray hand		7 800	77.1		l√	H
			6	7 00	280	graybrons	5	1000	14 / 5		Ú	\vdash
. SEALING PROCEDU	RES		6	280	300	graybrum	tore!	5.14.,1	- 10 July -	~ · ·		\vdash
SEAL/FILTER PACK	AMOUNT	METHOD		300	345	gray hard	10/	Face				⊢
Material From	To Sacks or Pounds	Pouret Fren	6	345	357	hard gray		· (- :			t
Benjueite 0	19 86000	Top down		//-	-		-94	<u> </u>			\vdash	ř
										₩.		\vdash
										He (*)		\vdash
as drive shoe used? □Y ☑ !	N Shoe Depth(s)		*							*		
as drive shoe seal tested?	Y N How?							7 T		3	100	, vo.,
. CASING/LINER:	La de la companya de	er men en e		to the co		and the second s	a second		y en institution			
Diameter From To Gauge	Material Casing	Liner Welded Threaded										_
6" 71 19 ,250	5720/ D		- A				4 14		7	\$≥		-
4" -7 357 160	pyc 0							*****	17.0	*		
										*		
ength of Headpipe	Length of Tailp	ipe					tige.			*		_
PERFORATIONS/SCR	EENS									-		
	ethod 50 h										一十	
Screens Scr	reen Type		Comp	leted	Dei	oth_3 <i>57</i>		1.	, j	/Maai	surable	<u> </u>
	length of the			100	34.	0-15-0	1	Come	leted 10			
From To Slot Size Num	iber Diameter Material	Casing Liner		, , O.G.				COMP	leted_7			_
160 357 6x6 40	U 4" FYC		13. [RILI	ER'S	CERTIFICA	TION				A Steel	
						mum well construc			re complier	te riting		
			the time	the no	was rer	noved.						
			•		1 -	Trac Ivall	^				E.	
). STATIC WATER LEV	FI OR ARTECL	AN DRESSIDE.	Compan	y Nam	e <u>O*7</u>	ipan 130 mlf	Vr.	11.15	Firm N	10. 40	. 0 -	
	tesian pressure _			/	71							
epth "www encountered	- the Doc-	lb.	Firm Off	icial <u></u>	Kithi	10 1	1	27 Date_	11-15	-01		
ontrol usinges: San Ze	ry well sea	Access port or	and	. 🗻	X	and leve	ا موگار	_ 2.	12	. *		
The state of the s	7 200	· 9	Driller or	Opera	310(any deric	<u>**-</u>	Date_//-	12-0	<u>/_</u>		

TO WATER RESOURCES