


DISTRICT COURT - CSRBA  
Fifth Judicial District  
County of Twin Falls - State of Idaho

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO  
IN AND FOR THE COUNTY OF TWIN FALLS  
MAY 18 2025

IN RE THE GENERAL ADJUDICATION  
OF RIGHTS TO THE USE OF WATER FROM  
THE COEUR D'ALENE-SPOKANE RIVER  
BASIN WATER SYSTEM

By                      Clerk 

CIVIL CASE NUMBER: 49576

Deputy Clerk

Ident. Number: 95-18670

Date Received:

Receipt No:

Claim Fee: \$25.00

Received By:                     

**NOTICE OF CLAIM TO A WATER RIGHT  
ACQUIRED UNDER STATE LAW**  
For Domestic and/or Stockwater Purposes  
Where Daily Use is less than 13,000 gallons per day

1. Name of Claimant(s)

STUART WAGNER  
13307 W BIGGS RD  
RATHDRUM ID 83858

Phone: (208) 660-6396

2. Date of Priority: 10/21/2004

3. Source:

GROUND WATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	¼ of ¼ of ¼	Lot	County	Type
52N	05W	28	SE SE	1	KOOTENAI	

5. Description of diverting works:

WELL WITH PUMP TO HOME

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
DOMESTIC	01/01	12/31	0.04		

7. Total Quantity Appropriated is:

0.04 C.F.S. and/or A.F.A.

8. Non-irrigation uses:

9. Place of use:

**DOMESTIC within KOOTENAI County**

Township	Range	Section	¼	of	¼	Lot	Acres
52N	05W	28	SE		SE	1	

10. Do you own the property listed above as place of use? Yes

If your answer is no, describe in remarks below the authority you have to claim this water right.

**11. Other Water Rights Used:**

12. Remarks:

**Priority Date Explanation:**

TAX PARCEL YEAR BUILT (1984), WELL COMPLETION DATE (10/21/2004)

### 13. Basis of Claim: Beneficial Use

14. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the COEUR D'ALENE-SPOKANE River Basin Adjudication." (b.) I/We do        do not   X   wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

### For Individuals:

I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Edward Meyer Date: 5-13-25

IDAHO DEPARTMENT OF WATER RESOURCES  
WELL DRILLER'S REPORT

Office Use Only		
Inspected by		
Twp	Rge	Sec
1/4	1/4	1/4
Lat:	:	Long:

1. DRILLING PERMIT NO. - - - - -

Other IDWR No. D 0035504

2. OWNER: 825435

Name Harry Rogers

Address 13325 W. Biggs Road

City Rathdrum State ID Zip 83858

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location

N

W		E	Twp. <u>52</u> North <input checked="" type="checkbox"/> or South <input type="checkbox"/>
			Rge. <u>5</u> East <input type="checkbox"/> or West <input checked="" type="checkbox"/>
			Sec. <u>28</u> 1/4 SE 1/4 SE 1/4
			10 acres 40 acres 160 acres

S

Gov't lot \_\_\_\_\_ County Kootenai

Lat: 47:49:090 Long: 116:57:657

Address of Well Site top of Biggs Road

City Rathdrum

(Give at least name of road + Distance to Road or Landmark)

Lt. \_\_\_\_\_ Blk. \_\_\_\_\_ Sub. Name \_\_\_\_\_

4. USE:

- ☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation  
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK		AMOUNT		METHOD
Material	From	To	Sacks or Pounds	
Bentonite	0	19	400#	dry granular

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 47'

Was drive shoe seal tested? ☐ Y ☒ N How? \_\_\_\_\_

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+2	47	250	Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4"	20	500	s 40	PVC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Length of Headpipe \_\_\_\_\_ Length of Tailpipe \_\_\_\_\_

9. PERFORATIONS/SCREENS

☒ Perforations Method saw cut 1/8" x 6" slot

☐ Screens Screen Type \_\_\_\_\_

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
480	500	1/8	33	4"	PVC	<input type="checkbox"/>	<input checked="" type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

25 ft. below ground

Artesian Pressure \_\_\_\_\_ lb

Depth flow encountered \_\_\_\_\_ ft. Describe access port or control devices: \_\_\_\_\_

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal/min.	Drawdown	Pumping Level	Time
5 gpm			

Water Temp. \_\_\_\_\_ Bottom hole temp. \_\_\_\_\_

Water Quality test or comments: Cold & clear

Depth first Water Encountered 97'

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water				Y	N
Bore Dia	From	To	Remarks: Lithology, Water Quality & Temp.		
10"	0	18	Silt, sand, brown	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8"	18	23	Silt, sand, brown	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	23	32	Shale, soft, decomposed lenses	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	32	47	Shale, medium and soft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6"	47	62	Shale, tan, medium	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	62	87	Shale, black, white, soft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	87	89	Silt, brown, soft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	89	97	Shale, white, green, quartz	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	97	132	Shale, white, green, medium	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	132	137	Shale, black, white, rose	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	137	139	Shale, pink, green, quartz	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	139	145	Shale, black, white, rose, mica	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	145	149	Shale, green, white, soft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	149	178	Shale, grey, green, white, medium	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	178	193	Shale, white, green, hard	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	193	200	Shale, green, black, white	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	200	228	Shale, green, white	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	228	260	Shale, green, white, black	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	260	262	Quartz, white	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	262	322	Shale, green, white, black, medium	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	322	330	Shale, green, black	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	330	342	Shale, black	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	342	382	Shale, green, black	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	382	387	Quartz, white	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	387	462	Shale, black, white	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	462	472	Shale, grey with quartz, soft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	472	480	Quartz, purple	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	480	498	Shale, black, white, green	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	498	500	Shale, soft, green	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Completed Depth: 500 (Measurable)

Date: Started 10/18/04 Completed 10/21/04

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name McCart Drilling & Pump Inc

Firm No. 586

Firm Official

Date 10-26-04

Supervisor or Operator

Date \_\_\_\_\_

(Sign once if Firm Official & Operator)

Date: 10/26/2004 Time: 8:10 AM

52N 5W 28