

RECEIVED
JUN 23 2017
IDWR / NORTH

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE COEUR D'ALENE-SPOKANE RIVER
BASIN WATER SYSTEM

CIVIL CASE NUMBER: 49576

Ident. Number: 95-17330

Date Received: 6/23/2017

Receipt No: 1032739

Claim Fee: 25.00

Received By: LW

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW
For Domestic and/or Stockwater Purposes
Where Daily Use is less than 13,000 gallons per day

1. Name of Claimant(s)

DAVID M ROSS
16400 S RAVEN HILL RD
COEUR D ALENE ID 83814

Phone: (208) 889-8562

PAMELA R ROSS
16400 S RAVEN HILL RD
COEUR D ALENE ID 83814

Phone: (208) 889-8562

2. Date of Priority: 9/23/1998

3. Source:

GROUND WATER
GROUND WATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	¼ of ¼ of ¼	Lot	County	Type
48N	04W	8	SW NE	7	KOOTENAI	
48N	04W	8	SW NE	7	KOOTENAI	

5. Description of diverting works:

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A
DOMESTIC	01/01	12/31	0.04		

7. Total Quantity Appropriated is:

0.04 C.F.S. and/or A.F.A.

8. Non-irrigation uses:

1 HOME WITH LAWN OR GARDEN

9. Place of use:

DOMESTIC within KOOTENAI County

Township	Range	Section	¼	of	¼	Lot	Acres
48N	04W	8	SW		NE	7	

10. Do you own the property listed above as place of use? Yes

If your answer is no, describe in remarks below the authority you have to claim this water right.

11. Other Water Rights Used:

12. Remarks and Priority Date Explanation:

FIRST WELL WILL BE USED AS SUPPLEMENTAL WELL *6/23/17*

13. Basis of Claim: Beneficial Use

14. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the COEUR D'ALENE-SPOKANE River Basin Adjudication." (b.) I/We do ____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 7 4 *6/23/17*

For Individuals:

I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s):

[Signature]
[Signature]

Date: 6/23/2017

Date: 6/23/2017

NENW 3

NWNE 2

48N04W08

SENE 6

SWNE 7

48N04W08
1350

8

RECEIVED

Form 238-7

JUL 20 1999

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

076690

Office Use Only
Inspected by _____
Twp _____ Rge _____ Sec _____
1/4 1/4 1/4
Lat: : : Long: : :

IDWR/North

1. WELL TAG NO. D0010179

DRILLING PERMIT N 95-99-N-0096-000

Other IDWR No _____

2. OWNER:

Name CAG Investments, LLC

Address George Schilling / PO Box 977

City Wheat Ridge, State CO Zip 80034

3. LOCATION OF WELL by legal description:

N
Twp 48N North ☐ or South ☐
Rge 04W East ☐ or West ☐
Sec 08 1/4 SW 1/4 NE 1/4
10 Ac 40 Ac 160 Ac
Gov't Lot _____ County Kootenai
Lat _____ Long _____

Address of Well Site: (see next line)

95 to Loffs Bay Rd - Well #1

City _____ Lot _____ Blk _____ Sub. Name (see next line)

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
Bentonite	0	59	28 sacks	pour in

Drive Shoe Used? ☒ Y ☐ N Shoe Depth(s) 59'

Drive Shoe Seal Tested? ☐ Y ☐ N How?

8. CASING/LINER

Diam	From	To	Gauge	Material	Casng	Liner	Weld	Thrded
8	1	59	0.025	Steel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	1	-250	0.025	Steel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	-85	-485		PVC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Length Headpipe _____ Length Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations? Method air perforator/drill

☐ Screens? Screen Type _____

From	To	Slot	Nmbr	Diam	Material	Casng	Liner
120	140	1"	500		Steel	<input type="checkbox"/>	<input type="checkbox"/>
220	240	1"	600		Steel	<input type="checkbox"/>	<input type="checkbox"/>
385	485		900		PVC	<input type="checkbox"/>	<input type="checkbox"/>

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

30 ft. below ground Artesian pressure 0 lb

Depth flow encountered 75/155/245 ft. Describe access port or

control devices: steel cap welded

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pump Level	Time
38-45 est	100%	490	2 hrs.

Water Temp. _____ cold Bottom hole temp. _____ cold

Water Quality test or comments: (below) Depth first Water Encountered 75

clear, cold, no smell

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality and Temperature	Water	
				Y	N
12	0	14	Topsoil & clay - brown	<input type="checkbox"/>	<input type="checkbox"/>
12	14	59	Granite - brown & white - soft	<input type="checkbox"/>	<input type="checkbox"/>
8	59	79	Granite - brown & white - soft	<input type="checkbox"/>	<input type="checkbox"/>
			8 GPM @ 75'	<input type="checkbox"/>	<input type="checkbox"/>
8	79	88	Granite - brown & white-soft w/quartz	<input type="checkbox"/>	<input type="checkbox"/>
8	88	115	Granite - purple/black & white - soft	<input type="checkbox"/>	<input type="checkbox"/>
			8 GPM @ 155'	<input type="checkbox"/>	<input type="checkbox"/>
8	115	170	Granite - purple/black & white - soft	<input type="checkbox"/>	<input type="checkbox"/>
8	170	225	Granite - green & white - very brokwn	<input type="checkbox"/>	<input type="checkbox"/>
8	225	245	Granite - purple/black/white - soft	<input type="checkbox"/>	<input type="checkbox"/>
8	245	251	Granite - green & white	<input type="checkbox"/>	<input type="checkbox"/>
			10 GPM @ 245'	<input type="checkbox"/>	<input type="checkbox"/>
6	251	270	Granite - green & white - soft	<input type="checkbox"/>	<input type="checkbox"/>
6	270	305	Granite - purple/black/white - medium	<input type="checkbox"/>	<input type="checkbox"/>
6	305	350	Granite - green & white - medium	<input type="checkbox"/>	<input type="checkbox"/>
6	350	355	Granite - purple/black/white - soft	<input type="checkbox"/>	<input type="checkbox"/>
			12 GPM	<input type="checkbox"/>	<input type="checkbox"/>
6	355	500	Granite - purple/black/white - medium	<input type="checkbox"/>	<input type="checkbox"/>

Completed Depth 485 (Measurable)

Date Started 7/6/99 Completed 7/13/99

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name United Drilling Inc

Firm No 414

Firm Official and

Date 7/16/99

Supervisor or Operator Jason C. Beckham

Date 7/16/99

FORWARD WHITE COPY TO WATER RESOURCES

48N 4W 8

2

170

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only
Inspected by RFD
Twp 48N Rge 4W Sec 8
1/4 SW 1/4 NE 1/4
Lat: : : Long: : :

RECEIVED

076589

1. WELL TAG NO. D0005332

DRILLING PERMIT N

Other IDWR No


2. OWNER:

Name Larry Wright

Address S 1455 Signal Point RD

City Post Falls

3. LOCATION OF WELL by legal description:



Twp 48N North ☒ or South ☐
Rge 05W East ☐ or West ☒
Sec 08 1/4 SE 1/4 NE 1/4
Gov't Lot 10 Ac 40 Ac 160 Ac
County Kootenai
Lat Long

Address of Well Site: (see next line)

95 to Rockford Bay rd to Loffs Bay Rd 1.8 on left City

Lot Blk Sub. Name (see next line)

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
Bentonite	0	39	6 sacks	pour in

Drive Shoe Used? ☐ Y ☐ N Shoe Depth(s) 39'

Drive Shoe Seal Tested? ☐ Y ☒ N How?

8. CASING/LINER

Diam	From	To	Gauge	Material	Casing	Liner	Weld	Thrded
6	1	39	0.025	Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4	20	300		PVC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Length Headpipe Length Tailpipe

9. PERFORATIONS/SCREENS

☒ Perforations? Method Drill

☐ Screens? Screen Type

From	To	Slot	Nmbr	Diam	Material	Casing	Liner
240	300		400	3/8	PVC	<input type="checkbox"/>	<input checked="" type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

60 ft. below ground. Artesian pressure lb.

Depth flow encountered 225 ft. Describe access port or

control devices: Steel cap welded

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pump Level	Time
15	100%	299	1 hr.

Water Temp. cold Bottom hole temp. cold

Water Quality test or comments: (below) Depth first Water Encountered 225
slight color, no smell

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality and Temperature	Water	
				Y	N
8	0	8	topsoil/Clay	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8	8	25	Decomposed granite-brown/white w/quartz	<input type="checkbox"/>	<input checked="" type="checkbox"/>
8	25	39	Granite-brown/white/black w/mica& quartz	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6	39	75	Granite-brown/white/black - soft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6	75	78	Granite-purple/black/white - soft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6	78	98	Granite - brown/white/black - soft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6	98	192	Granite-purple/black/white - medium	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6	192	205	Granite - black & white - medium	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6	205	228	Granite - black & white - soft (4 gpm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6	228	230	Granite - black & white - medium	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6	230	265	Granite - purple/black/white - medium	<input type="checkbox"/>	<input checked="" type="checkbox"/>
6	265	270	Granite - purple/black/white - soft	<input checked="" type="checkbox"/>	<input type="checkbox"/>
			11 gpm	<input type="checkbox"/>	<input type="checkbox"/>
6	270	300	Granite - purple/black/white - medium	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Completed Depth 300 (Measurable)

Date: Started 9/22/98 Completed 9/22/98

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm United Drilling Inc.
Name

Firm No 414

Firm Official
and

Date 9/23/98

Supervisor or Operator Jason C. Beckham

Date 9/23/98

FORWARD WHITE COPY TO WATER RESOURCES

Untitled

ID 7626498
UPDATED 10/12/2016
PIN 48N04W081350
OWNER ROSS, DAVID MICHAEL
ADDRESS1 16400 S RAVEN HILL RD
ADDRESS2 <null>
CITY COEUR D ALENE
STATE ID
ZIPCODE 83814
P_ADDRESS 16400 S RAVEN HILL RD
P_ZIPCODE <null>
SUB_NAME
LEGAL1 TAX #15720 [IN NW-NE]
LEGAL2 <null>
LEGAL3 <null>
LEGAL4 <null>
LEGAL5 <null>
LEGAL6 <null>
ACRES 12
COUNTY Kootenai
SOURCE <null>
YEAR_BUILT 1997